

scanned & FD  
**RECEIVED**

(17-19)


AKG 31 5003	015
PERMIT NUMBER	DISHCHARGE NUMBER

**MAY 25 2010**

**DEC**  
**Division of Water Quality**  
**Wastewater Discharge Program**

FROM	YEAR	MONTH	DAY
	2010	4	1
	(20-21)	(22-23)	(24-25)

TO	YEAR	MONTH	DAY
	2010	4	30
	(26-27)	(28-29)	(30-31)

PARAMETER  (32-37)			QUANTITY OR LOADING (46-53) (54-61)			QUALITY OR CONCENTRATION (46-53) (38-45) (46-53) (54-61)				NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
			Average	Maximum	Units	Minimum	Average	Maximum	Units				
015 - Produced Water	FLOW	Sample Measurement	0.15188614	0.178794	MGD	***	***	***	***	0	Weekly	Estimate	
		Permit Requirement	***	***		***	***	***		***			
015 - Produced Water PRODUCED SAND		Sample Measurement	***	***	***	No discharge	No discharge	No discharge	***	0	***	***	
		Permit Requirement	***	***		No discharge	No discharge	No discharge		***	***		
015 - Produced Water OIL & GREASE		Sample Measurement	***	***	***	***	8.575	12	mg/l	0	Weekly	Grab	
		Permit Requirement	***	***		***	28	42		***	Weekly	Grab	
015 - Produced Water pH		Sample Measurement	***	***	***	7.4	***	7.68	SU	0	Weekly	Grab	
		Permit Requirement	***	***		6	***	9		***	Weekly	Grab	
015 - Produced Water TAH		Sample Measurement	***	***	***	***	13.73	13.73	mg/l	0	Monthly	Grab	
		Permit Requirement	***	***		***	24	32		***	Monthly	Grab	
015 - Produced Water TAqH		Sample Measurement	***	***	***	***	13.95	13.95	mg/l	0	Monthly	Grab	
		Permit Requirement	***	***		***	Report	Report		***	Monthly	Grab	
015 - Produced Water TOTAL AMMONIA		Sample Measurement	***	***	***	5.1	5.1	5.1	mg/l	0	Quarterly	Grab	
		Permit Requirement	***	***		Report	***	Report		***	Quarterly	Grab	
NAME TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					 Signature			Telephone		Date (YR/MO/DAY)	
907 776-2510										5/24/2010			
Ryan Tunseth HSE&T Coordinator													
COMMENTS & EXPLANATION OF ANY VIOLATIONS: WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 2nd Period 2010 WET tests were taken on 04/06/10 and are included in this DMR. WET Test Re-Screening [Section III.A.2.- Permit # AKG-31-5000] was completed in October of 2009 ...no toxicity was observed in any of the species. Additionally, the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced in frequency from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2010 sample results are shown.													

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)**

(2-16)

(17-19)


<b>NAME:</b> XTO ENERGY, INC
<b>ADDRESS:</b> 52260 WIK RD KENAI, AK 99611
<b>FACILITY:</b> EAST FORELANDS
<b>LOCATION:</b> 60° 31' 10" N; 151° 20' 31" W

AKG 31 5003	015
PERMIT NUMBER	DISHCARGE NUMBER

☐ CHECK HERE IF NO DISCHARGE

**MONITORING PERIOD**

FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2010	4	1		2010	4	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (38-45)			NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		Average (54-61)	Maximum	Units	Minimum (46-53)	Average (54-61)	Maximum				
015 - Produced Water COPPER	Sample Measurement	***	***	***	***	3.55	3.55	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	60	90		***	Quarterly	Grab
015 - Produced Water MERCURY	Sample Measurement	***	***	***	***	0.00	0	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	0.5	0.8		***	Quarterly	Grab
015 - Produced Water MANGANESE	Sample Measurement	***	***	***	***	0.68	0.68	mg/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	7.9	15.8		***	Quarterly	Grab
015 - Produced Water SILVER	Sample Measurement	***	***	***	***	0.00	0	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	48	149		***	Quarterly	Grab
015 - Produced Water ZINC	Sample Measurement	***	***	***	***	0.0406	0.0406	mg/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	3.1	8.1		***	Quarterly	Grab
015 - Produced Water WET - <i>Mytilus galloprovincialis</i> (invertibrate)	Sample Measurement	***	***	***	***	< 625	< 625	TUc	0	Semi Annual	Grab
	Permit Requirement	***	***		***	1200	2425		***	Semi Annual	Grab
NAME TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					 Signature		Telephone	Date (YR/MO/DAY)		
Ryan Tunseth HSE&T Coordinator								907 776-2510	5/24/2010		

**COMMENTS & EXPLANATION OF ANY VIOLATIONS:** WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 2nd Period 2010 WET tests were taken on 04/06/10 and are included in this DMR. WET Test Re-Screening [Section III.A.2.- Permit # AKG-31-5000] was completed in October of 2009 ...no toxicity was observed in any of the species. Additionally, the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced in frequency from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2010 sample results are shown.



May 24, 2010

Alaska Dept. of Environmental Conservation  
ATTN: Watershed Management Section  
555 Cordova Street  
Anchorage, Alaska 99501

FedEx Tracking Number: 7935 6895 6173

SUBJECT: DISCHARGE MONITORING REPORTS, NPDES PERMIT NUMBERS  
AKG-31-5003 EAST FORELANDS FACILITY  
AKG-31-5012 PLATFORM A  
AKG-31-5013 PLATFORM C

Enclosed are the subject National Pollution Discharge Elimination System (NPDES) Discharge Monitoring Reports for the month of April 2010.

Please note that this submission is 4 days past the required postmark of the 20<sup>th</sup> day of the month. No other permit conditions were exceeded. I had some unexpected family business come up and I forgot to send the DMR's out on time.

If there are any questions, please don't hesitate to contact me at (907) 776-2510 or Scott Griffith at (907) 776-2506.

Yours Truly,

A handwritten signature in black ink, appearing to read 'Ryan Tunseth'.

Ryan Tunseth  
Environmental, Health & Safety Coordinator

Enclosures: April 2010 DMR

cc: Director, Office of Water & Watersheds  
U.S. Environmental Protection Agency  
Region 10  
1200 Sixth Avenue, OWW-130  
Seattle, Washington 98101

Director, Office of Compliance and Enforcement  
U.S. Environmental Protection Agency, Region 10  
1200 Sixth Avenue, OCE-133  
Seattle, Washington 98101

Scott Griffith  
Mike Oconnor